

**JUNG IL LIGHT** Vol.17

**JUNG IL LIGHT** Vol.17

# CONTACTS



## JUNG IL LIGHT (주) 중일전기

서울사무소(Head office)  
서울특별시 영등포구 선유로3길 10 하우스디 비즈 607호  
TEL : (032) 662-0071~2  
FAX : (032) 662-0073  
E-mail : sales1@jungil.co.kr / jie1974@naver.com

본사(Factory)  
강원도 원주시 문막읍 동화공단로 85-6  
TEL : (033) 743-0071  
FAX : (033) 731-0073  
Http : //www.jungillighting.co.kr

Head Office  
607 HausD.biz, 10, Seonyu-ro 3-gil, Yeongdeungpo-gu, Seoul, Republic of Korea  
TEL : +82-32-662-0071~2  
E-mail : sales1@jungil.co.kr / jie1974@naver.com

Factory  
85-6, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, Korea  
TEL : +82-33-743-0071  
FAX : +82-33-731-0073  
Http : //www.jungillighting.co.kr

# CONTENTS

HISTORY	7P
PRODUCT LIST	8P
LANDSCAPE LIGHT	15P
WALL LIGHT	47P
CEILING LIGHT, PENDANT	87P
LOCATION LIGHT	97P
INGROUND LIGHT	111P
BEACON LIGHT	125P
BOLLARD	151P
POLE LIGHT	207P
COLUMN LIGHT	263P
PAGE GUIDE	282P



## HISTORY

1974

재정설립

1980

국내최초 DIMMER SWITCH 개발 생산

1989

국내최초 인버터스탠드 개발

1997

국제품질 시스템 인증

KS A/ISO 9002 취득

2004

법인 설립

2007

원주공장 신축 이전

2008

K마크 인증 획득

2010

기술혁신 중소기업 (INNO-BIZ인증)

기업부설 연구소 설립

2013

GD award 우수상

2014

KS인증 획득

KS LED 가로등 및 보안등기구 인증획득

2015

KS LED 경관등, 지중매입등기구 인증획득

2016

KS LED 투광등기구 인증획득 / 영등포 사무실로 이전

2019

KS LED 경관등 추가 인증획득

2020


강원도 유망중소기업


# PRODUCT LIST

## Landscape Light



## Wall Light





### Ceiling Light, Pendant




### Location Light



### Inground light




### Beacon Light




### Bollard Light






### Pole Light



### Column Light



Landscape light





강릉 대도호부




과천 위버필드




## JIOF-902

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-902-1	15W	COB	3000K, 4000K, 5000K	1362lm	2.2kg
JIOF-902-2	40W	COB	3000K, 4000K, 5000K		4.7kg




### DRAWING




### CONFIGURE

알루미늄  
강화유리  
SMPS내장  
분체도장


### BEAM ANGLE



### OPTION



### PAINTED




# JIOF-927

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-927-1	8W	AC COB	3000K, 4000K, 5000K		2.5kg
JIOF-927-2	15W	COB	3000K, 4000K, 5000K	1133lm	2.9kg



## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장(927-2)
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED



개포동


# JIOF-928

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-928	40W	COB	3000K, 4000K, 5000K	4456lm	5.3kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED




# JIOF-949

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-949-1	24W	LED	3000K, 4000K, 5000K	2102lm	7.0kg
JIOF-949-2	48W	LED	3000K, 4000K, 5000K	3984lm	10kg
JIOF-949-3	96W	LED	3000K, 4000K, 5000K	7968lm	15kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED



춘천 강촌교


# JIOF-950

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-950-1	18W	LED	3000K, 4000K, 5000K	1530lm	7.0kg
JIOF-950-2	36W	LED	3000K, 4000K, 5000K	3060lm	10kg
JIOF-950-3	80W	LED	3000K, 4000K, 5000K	6400lm	15kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED



홍천 세이지우드CC


# JIOF-951

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-951	15W	COB	3000K, 4000K, 5000K	1124lm	3.5kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED



과천 위버필드


# JIOF-952

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-952	15W	COB	3000K, 4000K, 5000K	970 lm	2.8kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION



## PAINTED




# JIOF-954

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-954-1	8W	AC COB	3000K, 4000K, 5000K		1.3kg
JIOF-954-2	15W	AC COB	3000K, 4000K, 5000K		2.0kg

IP 66


## DRAWING



## CONFIGURE

알루미늄  
강화유리  
분체도장

## BEAM ANGLE



## OPTION



## PAINTED




# JIOF-956

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-956	100W	COB	3000K, 4000K, 5000K	8500lm	9.4kg

IP 66

## DRAWING




## CONFIGURE

알루미늄  
강화유리  
SMPS내장  
분체도장

## BEAM ANGLE



## OPTION



## PAINTED




# JIOF-959

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-959	40W	COB	3000K, 4000K, 5000K	4778lm	6.2kg




## DRAWING




## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED




# JIOF-961

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-961	15W	LED PAR30	2700K, 6500K	908lm	2.5kg




## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리
- 분체도장


## BEAM ANGLE



## OPTION



## PAINTED



고양 삼송e편한세상



춘천 감춘교


## JIOF-948-1,2

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-948-1	20W	COB	3000K, 4000K, 5000K	1500lm	3.0kg
JIOF-948-2	40W	COB	3000K, 4000K, 5000K	3000lm	6.0kg

IP 66

### DRAWING



### CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

### BEAM ANGLE




### OPTION

- HOOD
- PEG

### PAINTED

- DARK GRAY



광명 광명역





SK ECO HUB


## JIOF-948-3,4,5,6

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-948-3	60W	LED	3000K, 4000K, 5000K	5100lm	9.0kg
JIOF-948-4	90W	LED	3000K, 4000K, 5000K	6750lm	9.0kg
JIOF-948-5	120W	LED	3000K, 4000K, 5000K	10200lm	13kg
JIOF-948-6	180W	LED	3000K, 4000K, 5000K	13500lm	13kg




### DRAWING



### CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장


### BEAM ANGLE



### OPTION



### PAINTED



오산 세교e편한세상


# JIOF-172

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-172	8W	LED PAR20	2700K, 6500K	474lm	1.2kg

IP 65

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
강화유리  
분체도장

집중형



서울 상도노빌리티


# JIOF-905

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-905	15W	LED PAR30	2700K, 6500K	908lm	4.5kg

IP 66


## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
강화유리  
분체도장

집중형  
확산형



SK ECO HUB

# JIOF-901

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-901	15W	LED PAR30	2700K, 6500K	908lm	1.0kg

IP 66

## DRAWING




## CONFIGURE BEAM ANGLE OPTION

알루미늄  
경질유리  
분체도장

집중형  
확산형

PEG



하남 포웰시티


# JIOF-910

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-910	15W	LED PAR30	2700K, 6500K	908lm	3.5kg

IP 66

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
강화유리  
분체도장

집중형  
확산형




# JIOF-915

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-915	6W	LED	3000K, 4000K, 5000K	480lm	2.5kg



## DRAWING




하남 포웰시티

## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE





# JIOF-921

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-921	8W	LED PAR20	2700K, 6500K	474lm	2.5kg
JIOF-921	4.5W	GU10	2700K, 6500K	2.5kg	2.5kg



## DRAWING



시흥 센트럴푸르지오

## CONFIGURE

- 알루미늄
- 강화유리
- 분체도장

## BEAM ANGLE



## OPTION





# JIOF-922

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-922	15W	COB	3000K, 4000K, 5000K	1133lm	2.0kg
JIOF-922	4.5W	GU10	2700K, 6500K	2.0kg	2.0kg



## DRAWING



반포 아크로리버파크

## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## OPTION





# JIOF-925

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-925	25W	LED	3000K, 4000K, 5000K	2125lm	4.5kg



## DRAWING



부산 두산 위브더 제니스


# JIOF-929

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-929	12W	LED	3000K, 4000K, 5000K	900lm	2.5kg




## DRAWING



## CONFIGURE BEAM ANGLE OPTION

- 알루미늄
  - 강화유리
  - SMPS내장
  - 분체도장
- BEAM ANGLE: 15°, 20°, 40°, 60°
- OPTION: HOOD



마포 프레스티지 자이


# JIOF-933

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-933-1	25W	LED	3000K, 4000K, 5000K	2125lm	4.5kg
JIOF-933-2	50W	LED	3000K, 4000K, 5000K	4250lm	4.5kg




## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
  - 강화유리
  - SMPS내장
  - 분체도장
- BEAM ANGLE: 30°, 60°



동명 국제음악당


# JIOF-932

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-932	8W	LED PAR20	2700K, 6500K	474lm	2.5kg



## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
  - 강화유리
  - 분체도장
- BEAM ANGLE: 집중형



응암역 신사오거리


# JIOF-939

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-939-1	50W	LED	3000K, 4000K, 5000K	4250lm	6.5kg
JIOF-939-2	75W	LED	3000K, 4000K, 5000K	6375lm	7.0kg




## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
  - 강화유리
  - SMPS내장
  - 분체도장
- BEAM ANGLE: 30°, 60°



대구 중구청문화재


# JIOF-941

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-941	15W	LED PAR30	2700K, 6500K	908lm	1.5kg

IP 66

## DRAWING



## CONFIGURE BEAM ANGLE OPTION

- 알루미늄
  - 강화유리
  - 분체도장
- 집중형
  - 확산형
- HOOD
  - PEG



하남 포웰시티


# JIOF-943

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-943-1	12W	LED	3000K, 4000K, 5000K	890lm	2.0kg
JIOF-943-2	24W	LED	3000K, 4000K, 5000K	2102lm	6.0kg
JIOF-943-3	48W	LED	3000K, 4000K, 5000K	3984lm	12kg


IP 66

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
  - 강화유리
  - SMPS내장
  - 분체도장
- 15°
  - 20°
  - 40°
  - 60°



대구 도시철도3호선


# JIOF-942

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-942-1	20W	COB	3000K, 4000K, 5000K	1500lm	4.5kg
JIOF-942-2	40W	COB	3000K, 4000K, 5000K	3000lm	6.2kg


IP 66

## DRAWING



## CONFIGURE BEAM ANGLE OPTION

- 알루미늄
  - 강화유리
  - SMPS내장
  - 분체도장
- 60°
- PEG



송실대학교


# JIOF-944

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-944-1	18W	LED	3000K, 4000K, 5000K	1440lm	2.5kg
JIOF-944-2	36W	LED	3000K, 4000K, 5000K	2880lm	5.0kg
JIOF-944-3	54W	LED	3000K, 4000K, 5000K	4320lm	8.0kg


IP 66

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
  - 강화유리
  - 분체도장
- 15°
  - 20°
  - 40°
  - 60°



컨셉이미지


# JIOF-945

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-945	50W	LED	3000K, 4000K, 5000K	4250lm	6.0kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS 내장
- 분체도장

## BEAM ANGLE



속초 연금정


# JIOF-946

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-946-1	100W	LED	3000K, 4000K, 5000K	8500lm	12kg
JIOF-946-2	150W	LED	3000K, 4000K, 5000K	12750lm	13kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



송파 파크센트럴


# JIOF-971

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-971-1	4.5W	LED	3000K, 4000K, 5000K	180lm	
JIOF-971-2	7.5W	LED	3000K, 4000K, 5000K	300lm	
JIOF-971-3	15W	LED	3000K, 4000K, 5000K	600lm	1.0kg



## DRAWING



## CONFIGURE

- 알루미늄
- 광확산PC
- 아노다이징

## BEAM ANGLE



## PAINTED

- SILVER



홍천 세이지우드CC


# JIOF-973

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-973-1	12W	LED	3000K, 4000K, 5000K	1200lm	
JIOF-973-1	24W	LED	3000K, 4000K, 5000K	2400lm	




## DRAWING




## CONFIGURE

- 알루미늄
- 광확산PC
- 강화유리
- 분체도장

## BEAM ANGLE



## PAINTED



양주 옥정더퍼스트


# JIOF-976

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-976	36W	LED	3000K, 4000K, 5000K	2350lm	2.2kg




## DRAWING




## CONFIGURE

- 알루미늄
- 강화유리
- 분체도장

## BEAM ANGLE



## PAINTED



홍천 세이지우드CC

Wall light





안양 어바인퍼스트



한림대 강남성심병원


# JIOW-132

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-132-1	8W	AC COB	3000K, 4000K, 5000K		1.0kg
JIOW-132-2	8W(x2)	AC COB	3000K, 4000K, 5000K		1.3kg

IP 54

## DRAWING




## CONFIGURE

알루미늄  
강화유리  
분체도장

## PAINTED

BLACK





# JIOW-133

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-133-1	8W(x2)	AC COB	3000K, 4000K, 5000K		1.4kg
JIOW-133-2	8W(x4)	AC COB	3000K, 4000K, 5000K		1.7kg

IP 54

## DRAWING




## CONFIGURE

알루미늄  
강화유리  
분체도장

## PAINTED

BLACK





# JIOW-134

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-134-1	15W	COB	3000K, 4000K, 5000K		2.8kg
JIOW-134-2	15W(x2)	COB	3000K, 4000K, 5000K		4.0kg



## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## PAINTED

- WHITE





# JIOW-135

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-135	10W	AC LED	3000K, 4000K, 5000K	425lm	1.5kg
JIOW-135	20W	AC LED	3000K, 4000K, 5000K	851lm	1.5kg




## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK




# JIOW-136

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-136	20W	AC LED	3000K, 4000K, 5000K	760lm	3.0kg

IP 54


## DRAWING



## CONFIGURE


- 알루미늄
- 경질유리
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK




# JIOW-137

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-137	25W	LED	3000K, 4000K, 5000K	1250lm	2.8kg

IP 54


## DRAWING



## CONFIGURE


- 알루미늄
- 경질유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK




# JIOW-155

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-155-1	10W	COB	3000K, 4000K, 5000K	448lm	1.5kg
JIOW-155-2	20W	COB	3000K, 4000K, 5000K	448lm	1.5kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 광확산PC
- SMPS내장
- 분체도장




# JIOW-161

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-161-1	12W	COB	3000K, 4000K, 5000K	400lm	2.5kg
JIOW-161-2	16W	COB	3000K, 4000K, 5000K	533lm	2.5kg


IP 54

## DRAWING



## CONFIGURE

- 스틸
- 광확산PC
- SMPS내장
- 분체도장



# JIOW-204


## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-204-1	15W	COB	3000K, 4000K, 5000K	1024lm	2.0kg
JIOW-204-2	15W(x2)	COB	3000K, 4000K, 5000K	2048lm	3.2kg

IP 54



## DRAWING




## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장




## BEAM ANGLE



## PAINTED

- SILVER





# JIOW-111

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-111	5W	LED	3000K, 4000K, 5000K	108lm	1.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
아크릴  
SMPS내장  
분체도장




# JIOW-112

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-112	12W	LED	3000K, 4000K, 5000K	420lm	3.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
경질유리  
SMPS내장  
분체도장




# JIOW-113

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-113	8W	LED Bulb	2700K, 6500K	480lm	4.5kg

IP 54

## DRAWING



## CONFIGURE

스틸  
아크릴  
분체도장




# JIOW-114

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-114	15W	LED PAR30	2700K, 6500K	900lm	2.5kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
아크릴  
분체도장




## JIOW-115

### SPECIFICATION



MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-115-1	25W	LED	3000K, 4000K, 5000K	960lm	4.5kg
JIOW-115-2	25W	LED	3000K, 4000K, 5000K	960lm	3.5kg

IP 54

### DRAWING



### CONFIGURE BEAM ANGLE




## JIOW-118

### SPECIFICATION


MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-118	12W	LED	3000K, 4000K, 5000K	320lm	2.0kg

IP 54

### DRAWING



### CONFIGURE BEAM ANGLE




## JIOW-117

### SPECIFICATION



MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-117-1	12W	LED	3000K, 4000K, 5000K	480lm	2.0kg
JIOW-117-2	12W	LED	3000K, 4000K, 5000K	480lm	3.0kg

IP 54

### DRAWING



### CONFIGURE BEAM ANGLE




## JIOW-119

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-119-1	10W	COB	3000K, 4000K, 5000K	211lm	1.5kg
JIOW-119-2	10W x2	COB	3000K, 4000K, 5000K	422lm	2.0kg



IP 54

### DRAWING



### CONFIGURE

알루미늄 (Aluminum)  
아크릴 (Acrylic)  
SMPS내장 (SMPS built-in)  
분체도장 (Powder coating)



안양 아바인퍼스트


# JIOW-120

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-120-1	3W(x2)	LED	3000K, 4000K, 5000K		3.3kg
JIOW-120-2	3W(x2)	LED	3000K, 4000K, 5000K		3.3kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 알루미늄
- 폴리카보네이트
- SMPS내장
- 분체도장



하남 포웰시티


# JIOW-122

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-122	12W	LED	3000K, 4000K, 5000K		4.5kg



IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장



# JIOW-121


## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-121-1	25W	LED	3000K, 4000K, 5000K	1657lm	4.8kg
JIOW-121-2	50W	LED	3000K, 4000K, 5000K	3315lm	5.7kg

IP 54





## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



한림대 강남성심병원


# JIOW-127

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-127	15W	LED	3000K, 4000K, 5000K		4.5kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리
- SMPS내장
- 분체도장






# JIOW-130

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-130	20W	LED	3000K, 4000K, 5000K	850lm	3.0kg

IP 54

## DRAWING




## CONFIGURE

- 알루미늄
- 강화유리
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

DARK GRAY



부산 부산역광장


# JIOW-131

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-131	4W	LED	3000K, 4000K, 5000K		2.3kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- SMPS내장
- 분체도장



개포동 디에이치 자이


# JIOW-151

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-151	2W(x2)	LED	3000K, 4000K, 5000K	120lm(양방향)	2.3kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- SMPS내장
- 분체도장




# JIOW-156

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-156-1	24W	LED	3000K, 4000K, 5000K	1440lm	6.7kg
JIOW-156-2	24W(x2)	LED	3000K, 4000K, 5000K	1440lm(양방향)	6.7kg




## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장




# JIOW-165

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-165	12W	LED	3000K, 4000K, 5000K	350lm	1.5kg




## DRAWING



오산 세마e편한세상

## CONFIGURE BEAM ANGLE


- 알루미늄
- 경질유리
- SMPS내장
- 분체도장




# JIOW-168

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-168-1	24W	LED	3000K, 4000K, 5000K	2102lm	6.0kg
JIOW-168-2	25W	LED	3000K, 4000K, 5000K	2125lm	6.0kg




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



마곡 이대병원


# JIOW-173

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-173-1	8W	LED PAR20	2700K, 6500K	458lm	1.3kg
JIOW-173-2	8W(x2)	LED PAR20	2700K, 6500K	458lm(양방향)	1.8kg
JIOW-173-3	15W	LED PAR30	2700K, 6500K	870lm	2.8kg
JIOW-173-4	15W(x2)	LED PAR30	2700K, 6500K	870lm(양방향)	3.2kg

IP 54


## DRAWING



## CONFIGURE


- 알루미늄
- 강화유리(173-1,2)
- 폴리카보네이트(173-3,4)
- 분체도장

## BEAM ANGLE



## PAINTED

SILVER




# JIOW-175

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-175	8W	LED Bulb	2700K, 6500K	297lm	2.0kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리
- 분체도장

## BEAM ANGLE



인천 영종파라디스호텔

# JIOW-176


## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-176-1	25W	LED	3000K, 4000K, 5000K	2110lm	8.0kg
JIOW-176-2	25W(x2)	LED	3000K, 4000K, 5000K	2110m(양방향)	8.5kg

IP 54



## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장



용산 씨티파크


# JIOW-179

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-179	12W	LED	3000K, 4000K, 5000K	490lm	1.0kg




## DRAWING



## CONFIGURE

알루미늄  
강화유리  
SMPS내장  
분체도장

## BEAM ANGLE



시흥 장현금강펜터리움


# JIOW-188

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-188-1	15W	LED PAR30	2700K, 6500K	897lm	2.5kg
JIOW-188-2	15W(x2)	LED PAR30	2700K, 6500K	897lm(양방향)	3.8kg
JIOW-188-3	32W(x2)	LED PAR30L	3000K, 5700K	2400lm(양방향)	4.6kg
JIOW-188-4	32W(x2)	LED PAR30L	3000K, 5700K	2400lm(양방향)	6.9kg





## DRAWING



## CONFIGURE

알루미늄  
강화유리  
분체도장

## BEAM ANGLE



한림대 강남성심병원


# JIOW-186

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-186	18W	LED	3000K, 4000K, 5000K	1440lm	7.0kg




## DRAWING



## CONFIGURE

알루미늄  
강화유리  
SMPS내장  
분체도장

## BEAM ANGLE



동탄 성심병원


# JIOW-189

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-189-1	8W	LED PAR20	2700K, 6500K	468lm	1.5kg
JIOW-189-2	8W(x2)	LED PAR20	2700K, 6500K	468lm(양방향)	2.0kg





## DRAWING



## CONFIGURE

알루미늄  
강화유리  
분체도장

## BEAM ANGLE



상암 월드컵공원


# JIOW-200

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-200	6W	LED	3000K, 4000K, 5000K	168lm	2.5kg



IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
아크릴  
SMPS내장  
분체도장



안산 메트로타워푸르지오


# JIOW-202

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-202	2W(x2)	LED	3000K, 4000K, 5000K	60lm	2.0kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장



청담 래미안


# JIOW-201

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-201	6W	LED	3000K, 4000K, 5000K	120lm	2.2kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장




# JIOW-203

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-203	6W	LED	3000K, 4000K, 5000K	168lm	3.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
경질유리  
SMPS내장  
분체도장



광고 아이파크


## JIOW-415

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-415	8W	LED Bulb	2700K, 6500K		1.5kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
폴리카보네이트  
분체도장

### BEAM ANGLE



오창, 우림 필유


## JIOW-422

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-422-1	15W	LED Bulb	2700K, 6500K	556lm	5.0kg
JIOW-422-3	15W	LED Bulb	2700K, 6500K	556lm	5.0kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



분당 아이파크


## JIOW-416

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-416	8W	LED Bulb	2700K, 6500K		1.5kg

IP 54



### DRAWING



### CONFIGURE

알루미늄  
폴리카보네이트  
분체도장

### BEAM ANGLE



대구 매천동 화성파크드림


## JIOW-439

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-439BR	8W	LED Bulb	2700K, 6500K	297lm	4.0kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



제주 한일베리체


# JIOW-440

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-440BR-2	8W	LED Bulb	2700K, 6500K		4.0kg
JIOW-440BR-3	8W	LED Bulb	2700K, 6500K		4.0kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트(440-2)
- 경질유리(440-3)
- 분체도장



증권거래소


# JIOW-480, 482, 484

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-480	8W	LED Bulb	2700K, 6500K		1.5kg
JIOW-482	8W	LED Bulb	2700K, 6500K		1.5kg
JIOW-484	8W	LED Bulb	2700K, 6500K		1.5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- 분체도장



SK.ECO HUB

# JIOW-538


## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-538-1	36W	LED	3000K, 4000K, 5000K	2700lm	6.5kg
JIOW-538-2	54W	LED	3000K, 4000K, 5000K	4050lm	6.5kg

IP 54




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



경산 중방e편한세상


# JIOW-601

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-601-1	15W	LED PAR30	2700K, 6500K		42kg
JIOW-601-2	32W	LED PAR30	2700K, 6500K		42kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- 분체도장



로얄팰리스


# JIOW-603

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-603	18W	LED FPL	4000K, 5700K		5.0kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장



여수 웅천지웰


# JIOW-602

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-602	20W	LED	3000K, 4000K, 5000K		3.5kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장



일산킨텍스GS원시티


# JIOW-604

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-604	36W	LED FPL	4000K, 5700K		4.6kg


IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장



가평빌라




## JIOW-606

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-606	4W(x2)	LED	3000K, 4000K, 5000K	320lm(양방향)	3.2kg

IP 54

### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장



## JIOW-608

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-608	6W	LED	3000K, 4000K, 5000K	168lm	2.2kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE




## JIOW-607

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-607	6W	LED	3000K, 4000K, 5000K	168lm	2.2kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE




## JIOW-610

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-610	36W	LED FPL	4000K, 5700K		15kg

IP 54

### DRAWING



### CONFIGURE

스테인레스 스틸  
아크릴  
SMPS내장  
분체도장



대구 수성SK리더스뷰



## JIOW-611

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-611	6W	LED	3000K, 4000K, 5000K	138lm	1.0kg

IP 54

### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장




## JIOW-615

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-615	2W(x2)	LED	3000K, 4000K, 5000K	60lm	2.6kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장





## JIOW-612

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-612	12W	LED	3000K, 4000K, 5000K	360lm	1.7kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장






## JIOW-670

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-670-1	4W	COB	3000K, 4000K, 5000K	59lm	1.0kg
JIOW-670-2	4W(x2)	COB	3000K, 4000K, 5000K	59lm(양방향)	1.2kg
JIOW-670-3	15W	COB	3000K, 4000K, 5000K	221lm	2.5kg
JIOW-670-4	7.5W(x2)	COB	3000K, 4000K, 5000K	221lm(양방향)	2.5kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
폴리카보네이트  
SMPS내장  
분체도장




# JIOW-813

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-813	8W	LED Bulb	2700K, 6500K	200lm	1.5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 분체도장




# JIOW-1006

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-1006	12W	LED	3000K, 4000K, 5000K	360lm	2.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

- 스틸
- 아크릴
- SMPS내장
- 분체도장




# JIOW-817

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-817	8W	LED Bulb	2700K, 6500K	240lm	1.4kg

IP 65

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장



여수 용천신영지열


# JIOW-1007

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOW-1007	12W	LED	3000K, 4000K, 5000K	360lm	2.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE


- 스틸
- 아크릴
- SMPS내장
- 분체도장



Ceiling light , Pendant



고양삼송 e편한세상



인천 영종하늘도시


# JIOC-116

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-116-1	6W	LED	3000K, 4000K, 5000K	251lm	1.5kg
JIOC-116-2	6W	LED	3000K, 4000K, 5000K	251lm	1.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장



대구 대구무역회관


# JIOC-125

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-125	25W	LED	3000K, 4000K, 5000K	875lm	4.5kg



IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장




# JIOC-124

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-124-1	6W	LED	3000K, 4000K, 5000K	165lm	0.5kg
JIOC-124-2	15W	LED	3000K, 4000K, 5000K	515lm	0.7kg
JIOC-124-3	25W	LED	3000K, 4000K, 5000K	840lm	0.8kg


IP 65

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장



여수 용천신영지열


# JIOC-126

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-126	15W	LED	3000K, 4000K, 5000K	525lm	4.5kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장





# JIOC-188-5

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-188-5	15W	LED PAR30	2700K, 6500K	897lm	2.8kg


IP 65

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
강화유리  
SMPS내장  
분체도장




# JIOC-1001

## SPECIFICATION


MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1001	32W	LED	3000K, 4000K, 5000K	1766lm	2.5kg

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
폴리카보네이트  
SMPS내장  
분체도장




# JIOC-1002

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1002	6W	LED	3000K, 4000K, 5000K	180lm	2.5kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
아크릴  
SMPS내장  
분체도장




# JIOC-1003

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1003	6W	LED	3000K, 4000K, 5000K	180lm	2.5kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
아크릴  
SMPS내장  
분체도장




# JIOC-1004

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1004	15W	LED	3000K, 4000K, 5000K	525lm	3.5kg


IP 65

## DRAWING



## CONFIGURE BEAM ANGLE

- 스틸
- 아크릴
- SMPS내장
- 분체도장




# JIOC-1005

## SPECIFICATION


MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1005	6W	LED	3000K, 4000K, 5000K	140lm	4.5kg

## DRAWING



## CONFIGURE BEAM ANGLE

- 스틸
- 아크릴
- SMPS내장
- 분체도장




# JIOC-1009

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOC-1009-1	21W	LED	3000K, 4000K, 5000K		5.0kg
JIOC-1009-2	30W	LED	3000K, 4000K, 5000K		7.0kg

## DRAWING




## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장



## BEAM ANGLE



## PAINTED

WHITE






Location light



홍천 세이지우드CC



수원 컨벤션센터





# JIOL-163

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-163-1	4W	COB	3000K, 4000K, 5000K		1.0kg
JIOL-163-2	6W	LED	3000K, 4000K, 5000K	246lm	1.2kg

IP 65


## DRAWING



## CONFIGURE


- 알루미늄
- 아크릴
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE




## PAINTED

- DARK GRAY



※ 상기 설치 방법은 현장의 시공여건에 따라 달라질 수 있습니다.



하남 포웰시티



# JIOL-162

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-162-1	6W	LED	3000K, 4000K, 5000K		3.0kg
JIOL-162-2	6W	LED	3000K, 4000K, 5000K		3.0kg
JIOL-162-3	6W	LED	3000K, 4000K, 5000K		3.0kg

IP 65

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## PAINTED

■ DARK GRAY



제주 나인브릿지


# JIOL-123

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-123	40W	LED	3000K, 4000K, 5000K		6.0kg

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE



## PAINTED

■ DARK GRAY



광주 오포라포리움


## JIOL-153

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-153	1W	LED	3000K, 4000K, 5000K		0.5kg

IP 65

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
스테인레스스틸 하우징  
아노다이징






## JIOL-154

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-154	1W	LED	3000K, 4000K, 5000K		0.5kg

IP 65

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
스테인레스스틸 하우징  
아노다이징






## JIOL-164

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-164	12W	LED	3000K, 4000K, 5000K	328lm	3.0kg

IP 65

### DRAWING



대구무역회관

### CONFIGURE

알루미늄  
강화유리  
스테인레스스틸 하우징  
분체도장  
SMPS내장




## JIOL-170

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-170-1	3W	LED	3000K, 4000K, 5000K	60lm	1.2kg
JIOL-170-2	6W	LED	3000K, 4000K, 5000K	120lm	2.0kg

IP 65


### DRAWING



### CONFIGURE

알루미늄  
강화유리  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE






문정동 한스바이옴에드

## JIOL-174

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-174	6W	LED	3000K, 4000K, 5000K	240lm	2.0kg
IP 65					



### DRAWING



### CONFIGURE

알루미늄  
강화유리  
SMPS내장  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE




수원 정자동 SKY VIEW

## JIOL-180

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-180	6W	LED	3000K, 4000K, 5000K	230lm	2.0kg
IP 65					



### DRAWING



### CONFIGURE

알루미늄  
강화유리  
SMPS내장  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE



시흥 센트럴푸르지오


# JIOL-181

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-181-1	12W	LED	3000K, 4000K, 5000K	450lm	1.5kg
JIOL-181-2	12W	LED	3000K, 4000K, 5000K	450lm	1.5kg

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리(181-1)
- 아크릴(181-2)
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE




# JIOL-183

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-183	1W	LED	3000K, 4000K, 5000K	31lm	1.0kg

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE




# JIOL-182

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-182-1	12W	LED	3000K, 4000K, 5000K	470lm	2.5kg
JIOL-182-2	12W	LED	3000K, 4000K, 5000K	270lm	2.5kg
JIOL-182-3	6W	LED	3000K, 4000K, 5000K	344lm	2.5kg

IP 65



## DRAWING



## CONFIGURE

- 알루미늄(182-1,3)
- 스테인레스스틸(182-2)
- 강화유리
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE



남촌농수산물센터


# JIOL-184

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOL-184-1	6W	LED	3000K, 4000K, 5000K	240lm	3.0kg
JIOL-184-2	15W	LED	3000K, 4000K, 5000K	580lm	3.5kg

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 스테인레스스틸 하우징
- 분체도장

## BEAM ANGLE



수원 컨벤션

Inground light







강릉 대도호부



홍천 세이지우드CC



홍천 세이지우드CC



※ 상기 설치 방법은 현장의 시공여건에 따라 달라질 수 있습니다.


## JIOI-465

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-465	15W	LED PAR30	2700K, 6500K	900lm	1.5kg

IP 67



### DRAWING



### CONFIGURE

알루미늄  
강화유리  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE



대구 텍스타일


## JIOI-466

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-466	15W	LED PAR30	2700K, 6500K	900lm	3.0kg

IP 67


### DRAWING




### CONFIGURE

스테인레스스틸(466-1)  
알루미늄(466-2)  
강화유리  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE



### OPTION



인천 영종하늘도시



# JIOI-467

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-467	15W	LED PAR30	2700K, 6500K		3.0kg

IP 67


## DRAWING



## CONFIGURE

알루미늄  
경질유리  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE



중동푸르지오


# JIOI-470

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-470	4.5W	GU10	2700K, 6500K	210lm	1.2kg

IP 67



## DRAWING



## CONFIGURE

스테인레스스틸  
강화유리  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE



테디밸리CC


# JIOI-468

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-468	15W	LED PAR30	2700K, 6500K		3.0kg

IP 67


## DRAWING



## CONFIGURE

알루미늄  
경질유리  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE



마리오타워


# JIOI-471

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-471	4.5W	GU10	2700K, 6500K	210lm	1.0kg

IP 67



## DRAWING



## CONFIGURE

스테인레스스틸(471-1)  
알루미늄(471-1,2)  
강화유리  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE



광주 수완지구



남촌 농수산물센터



## JIOI-472

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-472-1	1W	LED	3000K, 4000K, 5000K	40lm	0.5kg
JIOI-472-2	6W	LED	3000K, 4000K, 5000K	360lm	2.0kg
JIOI-472-3	12W	LED	3000K, 4000K, 5000K	720lm	3.5kg
JIOI-472-4	24W	LED	3000K, 4000K, 5000K	1440lm	6.0kg




### DRAWING



### CONFIGURE

스테인레스스틸  
알루미늄  
강화유리  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE



인천 영종하늘도시


## JIOI-473

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-473-1	1W	LED	3000K, 4000K, 5000K	40lm	0.3kg
JIOI-473-2	6W	LED	3000K, 4000K, 5000K	360lm	1.2kg
JIOI-473-3	18W	LED	3000K, 4000K, 5000K	1080lm	4.0kg
JIOI-473-4	36W	LED	3000K, 4000K, 5000K	2160lm	6.0kg





### DRAWING



### CONFIGURE

스테인레스스틸  
알루미늄  
강화유리  
스테인레스스틸 하우징  
분체도장

### BEAM ANGLE



경의선숲길


# JIOI-474

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-474	6W	LED	3000K, 4000K, 5000K	358lm	1.5kg

IP 67


## DRAWING



## CONFIGURE

강화유리  
알루미늄  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE



송파 MKE타워


# JIOI-669A

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-669A	12W	LED	3000K, 4000K, 5000K	480lm	6.5kg

IP 67



## DRAWING



## CONFIGURE

스테인레스스틸  
알루미늄  
강화유리  
스테인레스스틸 하우징  
SMPS내장  
분체도장

## BEAM ANGLE



해비치리조트


# JIOI-479

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-479	15W	COB	3000K, 4000K, 5000K	974lm	3.2kg

IP 67



## DRAWING



## CONFIGURE

스테인레스스틸  
알루미늄  
강화유리  
스테인레스스틸 하우징  
SMPS내장  
분체도장

## BEAM ANGLE



송실대학교


# JIOI-912

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-912-1	3W	LED	3000K, 4000K, 5000K	60lm	3.0kg
JIOI-912-2	3W	LED	3000K, 4000K, 5000K	60lm	1.5kg
JIOI-912-3	6W	LED	3000K, 4000K, 5000K	120lm	7.0kg
JIOI-912-4	12W	LED	3000K, 4000K, 5000K	360lm	15kg

IP 67



## DRAWING



## CONFIGURE

강화유리  
알루미늄  
스테인레스스틸 하우징  
분체도장

## BEAM ANGLE





서울공예박물관


## JIOI-917

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOI-917-1	4.5W	LED	3000K, 4000K, 5000K	45lm	1.5kg
JIOI-917-2	7.5W	LED	3000K, 4000K, 5000K	75lm	2.0kg
JIOI-917-3	15W	LED	3000K, 4000K, 5000K	150lm	4.0kg

IP 67


### DRAWING



### CONFIGURE

- 알루미늄
- 강화유리
- 알루미늄하우징
- 분체도장

### BEAM ANGLE



대구 무역회관

Beacon light



홍천 세이지우드CC



홍천 세이지우드CC






## JIOB-826

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-826-1	16W	AC COB	3000K, 4000K, 5000K	427lm	2.3kg
JIOB-826-2	16W	AC COB	3000K, 4000K, 5000K	427lm	1.9kg

IP  
54

### DRAWING



### CONFIGURE


알루미늄  
강화유리  
분체도장

### OPTION



### PAINTED

DARK GRAY




# JIOB-851

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-851	12W	LED	3000K, 4000K, 5000K	687lm	5.5kg




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED



홍천 세이지우드CC


# JIOB-810

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-810-1	8W	LED Bulb	2700K, 6500K		2.8kg
JIOB-810-2	8W	LED Bulb	2700K, 6500K		5.0kg
JIOB-810-3	8W	LED Bulb	2700K, 6500K		2.8kg




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장

## PAINTED




# JIOB-818

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-818-1	4W	LED	3000K, 4000K, 5000K		1.5kg
JIOB-818-2	12W	LED	3000K, 4000K, 5000K		4.5kg
JIOB-818-3	12W	LED	3000K, 4000K, 5000K		6.5kg

IP 54


## DRAWING



## CONFIGURE


- 스틸
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOB-811

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-811	5W	COB	3000K, 4000K, 5000K		2.5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- DARK GRAY





# JIOB-843

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-843	12W	LED	3000K, 4000K, 5000K	480lm	7.0kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

DARK GRAY



제주강정 중흥S클래스


# JIOB-152

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-152	12W	LED	3000K, 4000K, 5000K	360lm	4.5kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장





# JIOB-801

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-801	4.5W	GU10	2700K, 6500K	120lm	1.8kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- 분체도장



테디밸리C.C


# JIOB-804

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-804	8W	LED Bulb	2700K, 6500K	210lm	2.0kg

IP 54

## DRAWING



## CONFIGURE OPTION

알루미늄  
아크릴  
분체도장



상도노빌리티


# JIOB-806

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-806	3W	LED	3000K, 4000K, 5000K		4.1kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장



그린투모로우


# JIOB-805

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-805	8W	LED Bulb	2700K, 6500K	224lm	2.8kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE OPTION

알루미늄  
아크릴  
분체도장



신동탄 푸르지오



# JIOB-807

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-807	8W	LED Bulb	2700K, 6500K	296lm	8.0kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
분체도장



남서울대학교



과천 위버필드


## JIOB-808

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-808	8W	LED Bulb	2700K, 6500K	260lm	7.5kg

IP 65

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



여수웅천지월


## JIOB-809

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-809-1	8W	LED Bulb	2700K, 6500K	280lm	5.0kg
JIOB-809-2	8W	LED Bulb	2700K, 6500K	280lm	13.5kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
폴리카보네이트  
분체도장



과천 위버필드


## JIOB-812

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-812	8W	LED Bulb	2700K, 6500K	220lm	2.0kg

IP 54

### DRAWING



### CONFIGURE OPTION

- 알루미늄
  - 아크릴
  - 분체도장
- PEG



안산 메트로타워푸르지오


## JIOB-814

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-814-1	4.5W	GU10	2700K, 6500K	140lm	1.8kg
JIOB-814-2	4.5W	GU10	2700K, 6500K	140lm	3.1kg

IP 54



### DRAWING



### CONFIGURE OPTION

- 알루미늄
  - 경질유리
  - 분체도장
- PEG

### BEAM ANGLE



월계동 롯데아파트


## JIOB-813

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-813	8W	LED Bulb	2700K, 6500K	200lm	1.5kg

IP 54

### DRAWING



### CONFIGURE OPTION

- 알루미늄
  - 분체도장
- PEG



우병


## JIOB-815

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-815	8W	LED Bulb	2700K, 6500K	200lm	2.0kg

IP 54

### DRAWING



### CONFIGURE OPTION

- 알루미늄
  - 분체도장
- PEG



대구 평리푸르지오


## JIOB-817

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-817-1	8W	LED Bulb	2700K, 6500K	220lm	2.0kg
JIOB-817-2	8W	LED Bulb	2700K, 6500K	220lm	2.8kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



SK아펠바움


## JIOB-820

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-820	3W	LED	3000K, 4000K, 5000K		4.7kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장




## JIOB-821

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-821	8W	LED	3000K, 4000K, 5000K	240lm	6.0kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장




## JIOB-822

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-822	15W	AC COB	3000K, 4000K, 5000K		7.7kg

IP 54

### DRAWING



### CONFIGURE

스틸  
아크릴  
분체도장






# JIOB-840

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-840-1	8W	LED Bulb	2700K, 6500K	220lm	3.7kg
JIOB-840-2	8W(x2)	LED Bulb	2700K, 6500K	220lm(양방향)	3.7kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
강화유리  
분체도장



수원 컨벤션


# JIOB-842

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-842	6W	LED	3000K, 4000K, 5000K		6.7kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장



대구지방청사


# JIOB-841

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-841-1	8W	LED Bulb	2700K, 6500K	210lm	3.1kg
JIOB-841-2	8W	LED Bulb	2700K, 6500K		10.5kg



IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

스틸  
아크릴  
분체도장



홍천 세이지우드CC


# JIOB-935

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-935	25W	LED	3000K, 4000K, 5000K	2125lm	4.5kg



IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

알루미늄  
강화유리  
SMPS내장  
분체도장




# JIOB-936

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-936	18W	LED	3000K, 4000K, 5000K	1080lm	6.0kg


IP 54

## DRAWING



## CONFIGURE BEAM ANGLE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장



## OPTION



신반포 아크로리버파크



# JIOB-995

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-995-1	8W	LED Bulb	2700K, 6500K		3.5kg
JIOB-995-2	8W	LED Bulb	2700K, 6500K		5.0kg
JIOB-995-3	15W	LED Bulb	2700K, 6500K		6.7kg
JIOB-995-4	15W	LED Bulb	2700K, 6500K		9.2kg

IP 54

## DRAWING



## CONFIGURE

- 아크릴
- 스틸
- 분체도장



제주 한일게스트하우스


# JIOB-992

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-992-1	9W	LED	3000K, 4000K, 5000K		28kg
JIOB-992-2	24W	LED	3000K, 4000K, 5000K		49kg

IP 54

## DRAWING



## CONFIGURE

- 강화유리
- 스테인레스스틸
- SMPS내장
- 분체도장




# JIOB-996

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-996	8W	LED Bulb	2700K, 6500K		17kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- 분체도장



용평리조트


# JIOB-997

## SPECIFICATION


MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-997-1	8W	LED Bulb	2700K, 6500K		1.5kg
JIOB-997-2	8W	LED Bulb	2700K, 6500K		1.9kg
JIOB-997-3	12W	LED Bulb	2700K, 6500K		2.2kg
JIOB-997-4	15W	LED Bulb	2700K, 6500K		2.8kg

IP 54

## DRAWING



## CONFIGURE BEAM ANGLE



용평리조트


# JIOB-999

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-999	8W	LED Bulb	2700K, 6500K		4.0kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
 아크릴  
 분체도장

## PAINTED

BLACK




# JIOB-998

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-998	36W	LED FPL	4000K, 5700K		16kg


IP 54

## DRAWING



## CONFIGURE

스틸  
 아크릴  
 SMPS내장  
 분체도장



경희궁



양평 현대별장

**Bollard light**




# JIOB-309

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-309	15W	LED	3000K, 4000K, 5000K		4.5kg

IP 54

## DRAWING




## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

BLACK




# JIOB-310

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-310	20W	LED	3000K, 4000K, 5000K		7.5kg

IP 54

## DRAWING




## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED


DARK GRAY




# JIOB-319

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-319	15W	AC COB	3000K, 4000K, 5000K	832lm	8.5kg




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOB-320

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-320	15W	COB	3000K, 4000K, 5000K		9.5kg



## DRAWING




## CONFIGURE

- 스틸
- 폴리카보네이트
- SMPS내장
- 분체도장

## PAINTED

- BLACK




# JIOB-321

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-321	12W	LED	3000K, 4000K, 5000K	180lm	5.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

DARK GRAY




# JIOB-322

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-322-1	10W	AC COB	3000K, 4000K, 5000K		3.3kg
JIOB-322-2	10W	AC COB	3000K, 4000K, 5000K		5.1kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장

## PAINTED

DARK GRAY






# JIOB-323

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-323	6W	LED	3000K, 4000K, 5000K		5.8kg

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

METAL GRAY




# JIOB-324

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-324	12W+7.5W(x2)	LED	3000K, 4000K, 5000K		8.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

DARK GRAY




# JIOB-351

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-351	15W	COB	3000K, 4000K, 5000K		5.8kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

BLACK




# JIOB-360

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-360	9W	COB	3000K, 4000K, 5000K	361lm	2.6kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

BLACK




# JIOB-381

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-381	15W	LED Bulb	2700K, 6500K		9.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 목재
- 아크릴
- 분체도장

## PAINTED

■ DARK GRAY




# JIOB-399

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-399	15W	COB	3000K, 4000K, 5000K		4.7kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- SMPS내장
- 분체도장

## PAINTED

■ DARK GRAY




# JIOB-301

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-301	6W	LED	3000K, 4000K, 5000K	168lm	3.5kg

IP 54


## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

## BEAM ANGLE




# JIOB-302

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-302	6W	LED	3000K, 4000K, 5000K		5.0kg

IP 54


## DRAWING



## CONFIGURE

알루미늄  
경질유리  
SMPS내장  
분체도장

## BEAM ANGLE





# JIOB-303

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-303	8W	LED Bulb	2700K, 6500K	120lm	5.5kg

IP 54


## DRAWING



## CONFIGURE

알루미늄  
아크릴  
분체도장

## BEAM ANGLE





# JIOB-304

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-304	15W	LED PAR30	2700K, 6500K	908lm	3.5kg

IP 54


## DRAWING



## CONFIGURE

알루미늄  
경질유리  
분체도장

## BEAM ANGLE





## JIOB-305

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-305	6W	LED	3000K, 4000K, 5000K	120lm	6.5kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
경질유리  
SMPS내장  
분체도장

### BEAM ANGLE



## JIOB-306



### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-306	25W(x2)	LED	3000K, 4000K, 5000K	4000lm	11kg

IP 54




### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE





## JIOB-307

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-307	6W	LED	3000K, 4000K, 5000K	110lm	3.5kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
경질유리  
SMPS내장  
분체도장

### BEAM ANGLE



## JIOB-308



### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-308	12W	LED	3000K, 4000K, 5000K	861lm	5.0kg

IP 54




### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE




# JIOB-311

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-311-1	12W	LED	3000K, 4000K, 5000K	862lm	2.9kg
JIOB-311-2	12W	LED	3000K, 4000K, 5000K	862lm	4.5kg
JIOB-311-3	12W	LED	3000K, 4000K, 5000K	862lm	2.3kg




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK



한림대강남성심병원




# JIOB-312

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-312-1	15W	COB	3000K, 4000K, 5000K	706lm	3.0kg
JIOB-312-2	15W	COB	3000K, 4000K, 5000K	706lm	4.0kg




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE




## PAINTED

- DARK GRAY



봉은사




## JIOB-313

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-313-1	20W	AC COB	3000K, 4000K, 5000K	1721lm	
JIOB-313-2	20W	AC COB	3000K, 4000K, 5000K	1721lm	




### DRAWING



### CONFIGURE

- 알루미늄(313-1)
- 스틸(313-2)
- 살리코렌즈
- 분체도장




## JIOB-318

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-318-1	15W	COB	3000K, 4000K, 5000K	364lm	4.7kg
JIOB-318-2	15W	COB	3000K, 4000K, 5000K	364lm	10.2kg



### DRAWING



### CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장




## JIOB-316, 317

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-316	6W	LED	3000K, 4000K, 5000K	168lm	3.5kg
JIOB-317	6W	LED	3000K, 4000K, 5000K	168lm	4.0kg




### DRAWING



### CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장




## JIOB-325

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-325	6W	LED	3000K, 4000K, 5000K	168lm	5.0kg




### DRAWING



### CONFIGURE

- 알루미늄
- 폴리카보네이트
- SMPS내장
- 분체도장




## JIOB-326

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-326	6W	LED	3000K, 4000K, 5000K	168lm	5.0kg

IP 54


### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE



문정동 한스바이오메드


## JIOB-328

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-328	6W	LED	3000K, 4000K, 5000K	87lm	4.4kg

IP 54



### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE



오산 세교e편한세상


## JIOB-327

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-327	6W	LED	3000K, 4000K, 5000K	87lm	5.0kg

IP 54



### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE




## JIOB-329

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-329	6W(x2)	LED	3000K, 4000K, 5000K	336lm	9.0kg


IP 54

### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장



서울 가산마리오 아울렛




# JIOB-332

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-332-1	7.5W	LED	3000K, 4000K, 5000K	75lm	5.0kg
JIOB-332-2	15W	LED	3000K, 4000K, 5000K	150lm	7.0kg

IP 54


## DRAWING



## CONFIGURE

- 목재
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE




# JIOB-350

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-350	12W	LED	3000K, 4000K, 5000K	841lm	4.5kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



고양 심송e편한세상


# JIOB-333

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-333	6W	LED	3000K, 4000K, 5000K	168lm	4.0kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE




# JIOB-379

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-379	15W	COB	3000K, 4000K, 5000K	585lm	6.5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장




# JIOB-384

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-384-1	12W	LED	3000K, 4000K, 5000K	264lm	5.5kg
JIOB-384-2	12W	LED	3000K, 4000K, 5000K	264lm	5.5kg
JIOB-384-3	12W	LED	3000K, 4000K, 5000K	264lm	5.5kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



서울공예박물관


# JIOB-401

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-401	8W	LED	3000K, 4000K, 5000K	7.0kg	

IP 54

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장



# JIOB-400


## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-400	15W	COB	3000K, 4000K, 5000K	802lm	5.5kg

IP 54




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



과천위버필드


# JIOB-402

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-402	4W	LED	3000K, 4000K, 5000K	112lm	5.0kg

IP 54



## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



송도센트럴푸르지오



# JIOB-403

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-403	12W	LED	3000K, 4000K, 5000K	336lm	9.8kg

IP 54

## DRAWING




인천 가좌 두산위브트레지움

## CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장

## BEAM ANGLE





# JIOB-405

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-405	8W	LED PAR20	2700K, 6500K		5.0kg

IP 54

## DRAWING



서울, 남부순환로 실개천

## CONFIGURE

알루미늄  
강화유리  
분체도장


# JIOB-404

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-404	4W	LED	3000K, 4000K, 5000K	112lm	4.0kg

IP 54

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장


# JIOB-406

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-406	8W+4.5W	LED Bulb+GU10	2700K, 6500K		4.5kg

IP 54

## DRAWING



경산 중방e편한세상

## CONFIGURE

알루미늄  
폴리카보네이트  
분체도장


# JIOB-407

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-407	8W	LED Bulb	2700K, 6500K	181lm	8.5kg

IP 54

## DRAWING




일산 SK M CITY

## CONFIGURE

알루미늄  
아크릴  
분체도장

## BEAM ANGLE




# JIOB-409

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-409	4.5W	GU10	3000K, 4000K, 5000K		4.2kg

IP 54

## DRAWING




5오일 사육

## CONFIGURE

알루미늄  
분체도장

## BEAM ANGLE




# JIOB-408

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-408-1	6W+4.5W	LED+GU10	3000K, 4000K, 5000K		2.5kg
JIOB-408-2	6W+4.5W	LED+GU10	3000K, 4000K, 5000K		5.0kg
JIOB-408-3	6W+4.5W	LED+GU10	3000K, 4000K, 5000K		5.0kg
JIOB-408-4	6W	LED	3000K, 4000K, 5000K		4.5kg

IP 65

## DRAWING




일산 킨텍스 원시티

## CONFIGURE

알루미늄  
경질유리  
SMPS내장  
분체도장

## BEAM ANGLE





# JIOB-410

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-410	12W	LED	3000K, 4000K, 5000K	708lm	6.4kg

IP 54

## DRAWING




남양주 다산신도시 금강펜터리움

## CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

## BEAM ANGLE




## JIOB-411

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-411-1	6W	LED	3000K, 4000K, 5000K	168lm	6.0kg
JIOB-411-2	6W(x2)	LED	3000K, 4000K, 5000K	168lm(양방향)	6.2kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE



송도센트럴파크푸르지오


## JIOB-413

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-413	6W	LED	3000K, 4000K, 5000K	168lm	3.4kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장



광고 아이파크


## JIOB-412

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-412-1	6W	LED	3000K, 4000K, 5000K	168lm	6.0kg
JIOB-412-2	6W(x2)	LED	3000K, 4000K, 5000K	168lm(양방향)	6.2kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE




## JIOB-414

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-414	15W	COB	3000K, 4000K, 5000K	560lm	12.5kg

IP 54

### DRAWING



### CONFIGURE

스틸  
아크릴  
SMPS내장  
분체도장




# JIOB-417

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-417	8W	LED Bulb	2700K , 6500K	1234 lm	4kg



IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- 분체도장



송도 공원


# JIOB-424

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-424	15W	LED PAR30	2700K , 6500K	1234 lm	11kg

IP 54

## DRAWING



## CONFIGURE

- 스테인레스스틸
- 아크릴
- 분체도장

## PAINTED

- METAL GRAY




# JIOB-418

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-418	8W x2	LED Bulb	2700K , 6500K	1234 lm	5.5kg

IP 54

## DRAWING




## CONFIGURE

- 알루미늄
- 폴리카보네이트
- 분체도장



울산 울산대공원



수원정자 SK스카이뷰


# JIOB-426

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-426	8W	LED Bulb	2700K, 6500K	181lm	6.2kg

IP 66


## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK



대구 텍스타일




# JIOB-427

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-427-1	8W	LED Bulb	2700K, 6500K	160lm	4.0kg
JIOB-427-2	8W	LED Bulb	2700K, 6500K	160lm	8.0kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장

## BEAM ANGLE



남촌농수산물센터


# JIOB-428

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-428	12W	LED	3000K, 4000K, 5000K	336lm	3.0kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장




# JIOB-431

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-431	7.5W	LED	3000K, 4000K, 5000K	75lm	2.5kg

IP 54



## DRAWING



## CONFIGURE

알루미늄  
폴리카보네이트  
SMPS내장  
분체도장

## BEAM ANGLE



여수 해양경찰교육원


# JIOB-436

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-436	8W	LED Bulb	2700K, 6500K	181lm	6.2kg

IP 54



## DRAWING



## CONFIGURE

알루미늄  
아크릴  
분체도장

## BEAM ANGLE



오산 세교 e편한세상


# JIOB-432

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-432	8W	LED Bulb	2700K, 6500K	104lm	10.5kg

IP 65

## DRAWING



## CONFIGURE

알루미늄  
아크릴  
분체도장




# JIOB-437

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-437-1	8W	LED Bulb	2700K, 6500K	160lm	4.0kg
JIOB-437-2	8W	LED Bulb	2700K, 6500K	160lm	8.0kg

IP 54


## DRAWING



## CONFIGURE

알루미늄  
아크릴  
분체도장

## BEAM ANGLE






## JIOB-438

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-438-1,3	8W	LED Bulb	2700K, 6500K	181lm	5.0kg
JIOF-438-2,4	8W	LED Bulb	2700K, 6500K	181lm	7.0kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장

### BEAM ANGLE




## JIOB-440

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-440-1	4.5W	GU10	2700K, 6500K		6.5kg
JIOB-440-2	8W	LED Bulb	2700K, 6500K		6.5kg
JIOB-440-3	8W	LED Bulb	2700K, 6500K		6.5kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
강화유리(440-1)  
폴리카보네이트(440-2)  
경질유리(440-3)  
분체도장




## JIOB-439

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-439	8W	LED Bulb	2700K, 6500K	181lm	3.0kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



서울 도곡동SK리더스


## JIOB-441

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-441	15W	LED PAR30	2700K, 6500K		13.0kg

IP 54

### DRAWING



### CONFIGURE

아크릴  
분체도장




## JIOB-442

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-442	18W	LED FPL	4000K, 5700K		6.5kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
SMPS내장  
분체도장

### BEAM ANGLE



김포 결포 오스타 파라곤


## JIOB-445

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-445	4.5W	GU10	2700K, 6500K		9.0kg


IP 54

### DRAWING



### CONFIGURE

알루미늄  
강화유리  
분체도장



여수 웅천지웰


## JIOB-443

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-443-1	8W	LED Bulb	2700K, 6500K	104lm	2.5kg
JIOB-443-2	8W	LED Bulb	2700K, 6500K	104lm	7.5kg

IP 54


### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장

### BEAM ANGLE



시흥 소래생태습지공원


## JIOB-446

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-446	8W	LED Bulb	2700K, 6500K	104lm	11kg


IP 55

### DRAWING



### CONFIGURE

알루미늄  
폴리카보네이트  
분체도장



광주 수완지구


# JIOB-447

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-447-1	8W	LED Bulb	2700K, 6500K	165lm	7.5kg
JIOF-447-2	25W	LED FPL	4000K, 5700K		13.3kg

IP 54


## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장(447-2)
- 분체도장

## BEAM ANGLE



남양주 다산신도시


# JIOB-449

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-449	8W	LED Bulb	2700K, 6500K	160lm	8.0kg

IP 54



## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장

## BEAM ANGLE



세종 국립도서관


# JIOB-448

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-448-1	8W	LED Bulb	2700K, 6500K		13kg
JIOB-448-2	8W+6W	LED Bulb+LED	2700K, 6500K		13kg
JIOB-448-3	6W	LED	3000K, 4000K, 5000K	240lm	13kg
JIOB-448-4	6W	LED	3000K, 4000K, 5000K	240lm	7.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 경질유리(448-1,2)
- 강화유리(448-3,4)
- SMPS내장(448-3,4)
- 분체도장



세종국립도서관


# JIOB-451

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-451	8W	LED Bulb	2700K, 6500K	160lm	5.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장



부천 중동 푸르지오


## JIOB-452

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-452	8W	LED Bulb	2700K, 6500K	240lm	36kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장




## JIOB-455

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-455-1	8W	LED Bulb	2700K, 6500K	160lm	4.2kg
JIOB-455-2	8W	LED Bulb	2700K, 6500K	160lm	7.0kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
경질유리  
분체도장




## JIOB-454

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-454-1	8W	LED Bulb	2700K, 6500K	160lm	4.2kg
JIOB-454-2	8W	LED Bulb	2700K, 6500K	160lm	7.0kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



포천 로하스펜션


## JIOB-457

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-457	8W	LED Bulb	2700K, 6500K		28kg

IP 54

### DRAWING



### CONFIGURE

알루미늄  
아크릴  
분체도장



고양 아람누리


# JIOB-458

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-458	8W	LED Bulb	2700K, 6500K	104lm	28.5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 분체도장



부산 중동 푸르지오


# JIOB-476

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-476	6W+4.5W	LED+GU10	3000K, 4000K, 5000K		5kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY



하남 포웰씨티




# JIOB-459

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-459	8W	LED Bulb	2700K, 6500K		10.0kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- 분체도장



부산 두산위브더제니스


# JIOB-490

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOF-490	6W	LED	3000K, 4000K, 5000K	156lm	5.5kg

IP 54


## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



속초 영랑호e편한세상


# JIOB-497

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-497-1	12W	LED	3000K, 4000K, 5000K	336lm	6.0kg
JIOB-497-2	12W	LED	3000K, 4000K, 5000K	181lm	6.0kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장



강남 효성해링턴코트


# JIOB-491

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-491	6W	LED	3000K, 4000K, 5000K	634lm	6.5kg

IP 54



## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장

## BEAM ANGLE



광교 아이파크


# JIOB-802

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-802-1	8W	LED Bulb	2700K, 6500K	104lm	3.4kg
JIOB-802-2	8W	LED Bulb	2700K, 6500K	104lm	11.5kg

IP 54



## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 목재
- 분체도장

## BEAM ANGLE



대구 수성 SK리더스뷰


# JIOB-838

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-838	3W	LED	3000K, 4000K, 5000K		2.7kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 강화플라스틱
- 분체도장



부산 사직삼정1차


# JIOB-890

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-890	8W	LED Bulb	2700K, 6500K	165lm	5.0kg


IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 분체도장



오산 세마e편한세상


# JIOB-850

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-850	24W	LED	3000K, 4000K, 5000K	672lm	6.0kg


IP 54

## DRAWING



## CONFIGURE

- 스테인레스스틸
- 아크릴
- SMPS내장
- 분체도장




# JIOB-892

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOB-892	6W	LED	3000K, 4000K, 5000K		3.8kg

IP 54

## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- SMPS내장
- 분체도장



Pole light





오스텀 임플란트



용인 한숲e편한세상

# SMART OPTION



SECURITY



ENERGY



CONTROL




## JIOP-509

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-509	75W	LED	3000K, 4000K, 5000K	8625lm	6.0kg(헤드)




### DRAWING



### CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE



### PAINTED

- DARK GRAY




# JIOP-545

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-545	75W	LED	3000K, 4000K, 5000K	8625lm	




## DRAWING



## CONFIGURE


- 알루미늄
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-563

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-563	50W	LED	3000K, 4000K, 5000K		




## DRAWING



## CONFIGURE


- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-564

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-564-1	50W	LED	3000K, 4000K, 5000K	5750lm	7.0kg(헤드)
JIOP-564-2	75W	LED	3000K, 4000K, 5000K	8625lm	7.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



마곡 오스렘임플란트




# JIOP-596

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-596	50W+45W	LED+LED	3000K, 4000K, 5000K	5750lm+1125lm	




## DRAWING



## CONFIGURE


- 스테인레스스틸
- 광확산PC
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



청주 디자인거리




# JIOP-741

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-741-1	50W	LED	3000K, 4000K, 5000K	5750lm	7.0kg(헤드)
JIOP-741-2	75W	LED	3000K, 4000K, 5000K	8625lm	7.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




고양 삼송 e편한세상




# JIOP-752

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-752	50W	COB	3000K, 4000K, 5000K	5500lm	4.5kg(헤드)




## DRAWING



## CONFIGURE


- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



오산 세교e편한세상




# JIOP-501

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-501	75W	LED	3000K, 4000K, 5000K	8625lm	6.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




한림대강남성심병원




# JIOP-503

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-503	50W	COB	3000K, 4000K, 5000K	4500lm	



## DRAWING



## CONFIGURE

- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY




# JIOP-504

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-504	50W	COB	3000K, 4000K, 5000K	5500lm	




## DRAWING



## CONFIGURE

- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-505

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-505	50W	LED	3000K, 4000K, 5000K	5750lm	




## DRAWING



## CONFIGURE


- 알루미늄
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-506

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-506-1	75W	LED	3000K, 4000K, 5000K	8625lm	11kg(헤드)
JIOP-506-2	75W(x2)	LED	3000K, 4000K, 5000K	8625lm(양방향)	20kg(헤드)




## DRAWING



## CONFIGURE


- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



서울공예박물관




# JIOP-513

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-513	100W	LED	3000K, 4000K, 5000K	11500lm	15kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



김해 롯데아울렛






# JIOP-518

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-518	100W	LED	3000K, 4000K, 5000K	11500lm	18kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



강남 N타워




# JIOP-525

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-525	60W	LED Bulb	3000K, 4000K, 5000K		18kg(헤드)



## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴
- 분체도장

## PAINTED

- METAL GRAY





시흥 센트럴푸르지오


## JIOP-528

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-528	72W	LED	3000K, 4000K, 5000K	3672lm	9.0kg(헤드)

IP  
65


### DRAWING



### CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE



### PAINTED

- BLACK



경주 지티랜드




# JIOP-534

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-534	75W	LED	3000K, 4000K, 5000K	8625lm	




## DRAWING



## CONFIGURE

- 스틸
- SMPS내장
- 분체도장

## BEAM ANGLE




## PAINTED

- METAL GRAY



응암역 신사오거리




# JIOP-539

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-539	54W	LED	3000K, 4000K, 5000K	4050lm	4.5kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



과천위버필드





시흥 e편한세상


## JIOP-542

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-542	75W	LED	3000K, 4000K, 5000K	8625lm	




### DRAWING



### CONFIGURE

- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE



### PAINTED

- METAL GRAY



연천 선사유적지




# JIOP-544

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-544	50W	LED	3000K, 4000K, 5000K	5750lm	8.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-547

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-547	75W	LED	3000K, 4000K, 5000K	8625lm	7.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



영종하늘도시




# JIOP-548

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-548-1	75W	LED	3000K, 4000K, 5000K	8625lm	10kg(헤드)
JIOP-548-2	100W	LED	3000K, 4000K, 5000K	11500lm	22kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



동탄 한림대성심병원




# JIOP-550

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-550-1	50W	LED	3000K, 4000K, 5000K	5750lm	15kg(헤드)
JIOP-550-2	75W	LED	3000K, 4000K, 5000K	8625lm	15kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



수원 컨벤션센터





군포 송정금강펜테리움


## JIOP-560

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-560	75W	LED	3000K, 4000K, 5000K	8625lm	20kg(헤드)




### DRAWING



### CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE



### PAINTED

- METAL GRAY



군포 송정금강펜테리움





세종 국립도서관


## JIOP-565

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-565-1	50W	LED	3000K, 4000K, 5000K	5750lm	4.0kg(헤드)
JIOP-565-2	100W	LED	3000K, 4000K, 5000K	11500lm	5.0kg(헤드)




### DRAWING



### CONFIGURE


- 스테인레스스틸
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE




### PAINTED

- DARK GRAY



세종 국립도서관






# JIOP-566

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-566	75W	LED	3000K, 4000K, 5000K	8625lm	




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-567

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-567	75W	LED	3000K, 4000K, 5000K	8625lm	8.0kg(헤드)




## DRAWING



## CONFIGURE

- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-568

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-568	75W	LED	3000K, 4000K, 5000K	8625lm	




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-570

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-570	100W	LED	3000K, 4000K, 5000K	11500lm	20kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



광명역




# JIOP-571

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-571	50W	LED	3000K, 4000K, 5000K	5750lm	7.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-572

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-572-1	75W	LED	3000K, 4000K, 5000K	6900lm	5.5kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-573

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-573	75W	LED	3000K, 4000K, 5000K	8625lm	4.0kg(헤드)




## DRAWING



## CONFIGURE

- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK




# JIOP-577

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-577	75W	LED	3000K, 4000K, 5000K	8625lm	8.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-579

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-579	100W+50W	LED	3000K, 4000K, 5000K	11500lm+5750lm	




## DRAWING



## CONFIGURE

- 스틸
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY




# JIOP-588

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-588	100W	LED	3000K, 4000K, 5000K	11500lm	15kg(헤드)




## DRAWING



## CONFIGURE


- 알루미늄
- 아크릴
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- DARK GRAY



서울성모병원

# JIOP-730

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-730	54W	LED	3000K, 4000K, 5000K	4320lm	




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- 아크릴
- 스틸폴
- 태양광패널
- SMPS내장
- 배터리
- 분체도장

## BEAM ANGLE



# JIOP-732

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-732	54W	LED	3000K, 4000K, 5000K	4320lm	




## DRAWING



## CONFIGURE

- 알루미늄
- 강화유리
- 스틸폴
- 태양광패널
- SMPS내장
- 배터리
- 분체도장

## BEAM ANGLE




# JIOP-750

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-750	75W	LED	3000K, 4000K, 5000K	8625lm	6.0kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



김포 한강신도시


## JIOP-760

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-760	75W	LED	3000K, 4000K, 5000K	8625lm	6.0kg(헤드)




### DRAWING



### CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE




### PAINTED

- METAL GRAY



인천 송도대우월드마크





경주 지티랜드


## JIOP-770

### SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-770-1	50W	LED	3000K, 4000K, 5000K	5750lm	4.5kg(헤드)
JIOP-770-2	75W	LED	3000K, 4000K, 5000K	8625lm	4.5kg(헤드)




### DRAWING



### CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

### BEAM ANGLE



### PAINTED

- METAL GRAY



경주 지티랜드






# JIOP-425

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-425	100W	LED	3000K, 4000K, 5000K	11500lm	10.5kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴(425-1)
- 스테인레스스틸폴(425-2)
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



용인 한숲e편한세상




# JIOP-450

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-450	75W	LED	3000K, 4000K, 5000K	8625lm	12kg(헤드)




## DRAWING



## CONFIGURE


- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



경방 타임스퀘어




# JIOP-480

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-480	8W(x3)	LED Bulb	2700K, 6500K		5.0kg(헤드)

IP 65

## DRAWING



## CONFIGURE

- 알루미늄
- 폴리카보네이트
- 스틸폴
- 분체도장

## PAINTED

- BLACK




# JIOP-482

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-482	8W(x2)	LED Bulb	2700K, 6500K		9.5kg(헤드)

IP 65

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴
- 분체도장

## PAINTED

- BLACK




# JIOP-500

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-500	100W	LED	3000K, 4000K, 5000K	8625lm	13kg(헤드)




## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



세만금




# JIOP-557

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-557	50W	COB	3000K, 4000K, 5000K		10kg(헤드)



## DRAWING



## CONFIGURE

- 알루미늄
- 스틸폴
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY



Column light



개포 디에이치 자이



남양주 다산신도시


# JIOP-701

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-701	50W	COB	3000K, 4000K, 5000K		

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 실리콘렌즈
- 스틸폴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY




# JIOP-721

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-721	50W	COB	3000K, 4000K, 5000K	4587lm	

IP 65

## DRAWING



## CONFIGURE

- 알루미늄
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- BLACK




# JIOP-781

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-781	50W	COB	3000K, 4000K, 5000K		

IP 65

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- BLACK




# JIOP-725

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-725	50W	COB	3000K, 4000K, 5000K	2350lm	

IP 65


## DRAWING



## CONFIGURE

- 알루미늄
- 실리콘렌즈
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- BLACK



과천위버필드




# JIOP-715

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-715	32W	LED PAR30L	2700K, 6500K		

IP 65


## DRAWING



## CONFIGURE

스틸  
아크릴  
분체도장

## BEAM ANGLE



## PAINTED

BLACK



다산신도시e편한세상




# JIOP-773

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-773	20W	LED PAR30L	2700K, 6500K		

IP 65


## DRAWING



## CONFIGURE

스틸  
아크릴  
분체도장

## BEAM ANGLE



## PAINTED

BLACK






# JIOP-485

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-485-1,2	50W	COB	3000K, 4000K, 5000K		
JIOP-485-3	50W+8W	COB+Bulb	3000K, 4000K, 5000K		

IP 65


## DRAWING



## CONFIGURE

- 스틸
- 아크릴(485-2,3)
- SMPS내장
- 분체도장

## BEAM ANGLE




## PAINTED

- METAL GRAY



서울혁신파크




# JIOP-488

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-488	22.5W	LED	3000K, 4000K, 5000K		

IP 65

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY




# JIOP-706

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-706	50W	COB	3000K, 4000K, 5000K		

IP 65


## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



송도센트럴푸르지오




# JIOP-707

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-707	60W	LED	3000K, 4000K, 5000K		

IP 65

## DRAWING



## CONFIGURE


- 스틸
- 아크릴
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY



서울 송파아르누보




# JIOP-709

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-709-1	8W+50W	LED Bulb+COB	3000K, 4000K, 5000K		

IP 65

## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- 경질유리
- SMPS내장
- 분체도장

## PAINTED

- METAL GRAY



대구 무역회관


# JIOP-716

## SPECIFICATION

MODEL	POWER [W]	SOURCE	LED COLOR [K]	LUMEN [lm]	WEIGHT [kg]
JIOP-716	50W	COB	3000K, 4000K, 5000K		

IP 65


## DRAWING



## CONFIGURE

- 스틸
- 아크릴
- SMPS내장
- 분체도장

## BEAM ANGLE



## PAINTED

- METAL GRAY



부천 원종금호아울림

부 록

## ISO 인증서



## Warning


## KS인증서



- 본 카탈로그에 게재된 사진은 실 제품 색상과 차이가 있을 수 있습니다.
- 본 카탈로그의 내용을 무단 복사 편집을 할 경우 저작권 침해에 해당되므로 저작권법에 의하여 처벌 받을 수 있습니다.
- 본 카탈로그에 수록된 사양은 변동될 수도 있습니다.

- Color of picture could be different, compare to real color of product
- This document is protected by copyright
- For product improvement, Jungil Lighting reserves the right to specification without notice.

## FINISHES



# PAGE GUIDE

<b>100</b>	
No.	Page
111	58
112	58
113	59
114	59
115	60
116	90
117	60
118	61
119	61
120	62
121	62
122	63
123	103
124	90
125	91
126	91
127	63
130	64
131	65
132	50
133	51
134	52
135	53
136	54
137	55
151	65
152	135
153	104
154	104
155	56
156	66
161	56
162	102
163	101
164	105
165	66
168	67
170	105
172	34
173	68
174	107
175	69
176	69
179	70
180	107
181	108
182	108
183	109

184	109
186	70
188	71
188-5	92
189	71

<b>200</b>	
No.	Page
200	72
201	72
202	73
203	73
204	57

<b>300</b>	
No.	Page
301	166
302	166
303	167
304	167
305	168
306	168
307	169
308	169
309	154
310	155
311	170
312	171
313	172
316	172
317	172
318	173
319	156
320	157
321	158
322	159
323	160
324	161
325	173
326	174
327	174
328	175
329	175
332	176
333	176
350	177

351	162
360	163
379	177
381	164
384	178
399	165

<b>400</b>	
No.	Page
400	178
401	179
402	179
403	180
404	180
405	181
406	181
407	182
408	182
409	183
410	183
411	184
412	184
413	185
414	185
415	74
416	74
417	186
418	186
422	75
424	187
425	256
426	188
427	189
428	189
431	190
432	190
436	191
437	191
438	192
439	192
439BR	75
440	193
440BR	76
441	193
442	194
443	194
445	195
446	195

447	196
448	196
449	197
450	257
451	197
452	198
454	198
455	199
457	199
458	200
459	200
465	115
466	115
467	116
468	116
470	117
471	117
472	119
473	119
474	120
476	201
479	120
480	258
482	259
480,482,484BR	76
485	272
488	273
490	202
491	202
497	203

<b>500</b>	
No.	Page
500	260
501	218
503	219
504	220
505	221
506	222
509	211
513	223
518	224
525	225
528	227
534	228
538	77
539	229
542	231

544	232
545	212
547	233
548	234
550	235
560	237
563	213
564	214
565	239
566	240
567	241
568	242
570	243
571	244
572	245
573	246
577	247
579	248
588	249
596	215

<b>600</b>	
No.	Page
601	78
602	78
603	79
604	79
606	80
607	80
608	81
610	81
611	82
612	82
615	83
669A	121
670	83

<b>700</b>	
No.	Page
701	266
706	274
707	275
709	276
715	276
716	277
721	267

725	269
730	250
732	250
741	216
750	251
752	217
760	253
770	255
773	271
781	268

<b>800</b>	
No.	Page
801	135
802	203
804	136
805	136
806	137
807	137
808	139
809	139
810	131
811	133
812	140
813	140
813BR	84
814	141
815	141
817	142
817BR	84
818	132
820	142
821	143
822	143
826	129
838	204
840	144
841	144
842	145
843	134
850	204
851	130
890	205
892	205

<b>900</b>	
No.	Page
901	34
902	19
905	35
910	35
912	121
915	36
917	123
921	36
922	37
925	37
927	20
928	21
929	38
932	38
935	145
933	39
936	146
939	39
941	40
942	40
943	41
944	41
945	42
946	42
948-1,2	31
948-3,4,5,6	33
949	22
950	23
951	24
952	25
954	26
956	27
959	28
961	29
971	43
973	44
976	45
992	146
995	147
996	147
997	148
998	148
999	149

<b>1000</b>	
No.	Page

1001	92
1002	93
1003	93
1004	94
1005	94
1006	85
1007	85
1009	95



송파 파크센트럴



수원 컨벤션센터





SINCE 1974  
Catalogue Vol. 17